

**Safety data sheet  
according to 1907/2006/EC, Article 31**

Printing date 12.05.2015

Version 7

Revision: 12.05.2015

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier**
- **Trade name: X-Ray Rapid Fixer salt**

---

- **Article number:** 00077, 00078, 00079, 00080, 00081, 00082, 00083, 03078, 09078, 09081, 09082
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
To this day we do not have any information about the identified use at the moment. These data are available we will add these to the safety data sheet.
- **Application of the substance / the mixture**  
Photochemicals  
Photographic fixer  
Reserved for industrial and professional use.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
ADEFO-CHEMIE GmbH  
Justus-von-Liebig-Str. 24-26  
D-63128 Dietzenbach  
Tel.: +49 6074 84239-0  
Fax: +49 6074 84239-63  
E-Mail: service@adefo-chemie.de  
www.adefo-chemie.de
- **Informing department:**  
Tel.: +49 6074 84239-0  
Fax: +49 6074 84239-63  
E-Mail: kr@calbe-chemie.de
- **1.4 Emergency telephone number:** Tel.: 0700-24112112 (CAL)


**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
Eye Dam. 1 H318 Causes serious eye damage.

---

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**  
Xi; Irritant  
R41: Risk of serious damage to eyes.
- **Information concerning particular hazards for human and environment:**  
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system:**  
The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

---

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**  
  
  
 GHS05
- **Signal word** Danger
- **Hazard-determining components of labelling:**  
disodium disulphite

(Contd. on page 2)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.05.2015

Version 7

Revision: 12.05.2015

**Trade name: X-Ray Rapid Fixer salt**

(Contd. of page 1)

- **Hazard statements**  
H318 Causes serious eye damage.
- **Precautionary statements**  
P280 Wear eye protection / face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of the substances listed below with harmless additions.

- **Dangerous components:**

CAS: 7681-57-4 EINECS: 231-673-0 Index number: 016-063-00-2 Reg.nr.: 01-2119531326-45-xxxx	disodium disulphite Xn R22 Xi R41 R31 Eye Dam. 1, H318 Acute Tox. 4, H302	15-20%
---	--	--------

- **Additional information** For the wording of the listed risk phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information**  
Personal protection for the First Aider.  
Instantly remove any clothing soiled by the product.
- **After inhalation** Supply fresh air; consult doctor in case of symptoms.
- **After skin contact** The product is not skin irritating.
- **After eye contact**  
Rinse opened eye for several minutes under running water (at least 15 minutes).  
Remove contact lenses, if present and easy to do.  
Use eye protection.  
Call a doctor immediately.
- **After swallowing**  
Rinse out mouth and then drink plenty of water.  
In case of persistent symptoms consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No known symptoms to date.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

GB

(Contd. on page 3)



**Safety data sheet  
according to 1907/2006/EC, Article 31**

Printing date 12.05.2015

Version 7

Revision: 12.05.2015

**Trade name: X-Ray Rapid Fixer salt**

(Contd. of page 2)

**SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**  
CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.  
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
- **5.2 Special hazards arising from the substance or mixture**  
Can be released in case of fire  
Sulphur oxides (SO<sub>x</sub>)  
Nitrogen oxides (NO<sub>x</sub>)
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Do not inhale explosion gases or combustion gases.  
At formation of toxic gases:  
Put on breathing apparatus.
- **Additional information** The product is not flammable

**SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective clothing.
- **6.2 Environmental precautions:** Do not allow to enter drainage system, surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Collect mechanically.  
Dispose of contaminated material as waste according to item 13.
- **6.4 Reference to other sections**  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

**SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** No special precautions necessary if used correctly.
- **Information about protection against explosions and fires:**  
No special measures required.  
The product is not flammable
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:**  
Do not store together with alkalis (caustic solutions).  
Do not store together with acids.  
Keep away from foodstuffs, beverages and food.
- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed containers.
- **Recommended storage temperature:** 5-25 °C
- **Storage class**  
LGK 13  
(German Technical Rule for Hazardous Substance – TRGS 510)
- **7.3 Specific end use(s)** No further relevant information available.

GB

(Contd. on page 4)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 12.05.2015

Version 7

Revision: 12.05.2015

**Trade name: X-Ray Rapid Fixer salt**

(Contd. of page 3)

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.

- **8.1 Control parameters**

- **Components with limit values that require monitoring at the workplace:**

<b>7681-57-4 disodium disulphite</b>
--------------------------------------

WEL	Long-term value: 5 mg/m <sup>3</sup>
-----	--------------------------------------

- **Additional information:** The lists that were valid during the compilation were used as basis.

- **8.2 Exposure controls**

- **Personal protective equipment**

- **General protective and hygienic measures**

The usual precautionary measures should be adhered to general rules for handling chemicals.

Take off immediately all contaminated clothing.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes.

- **Breathing equipment:** Not required.

- **Protection of hands:**

Avoid direct contact with the chemical/ the product/ the preparation by organisational measures.

- **Eye protection:** Tightly sealed safety glasses.

- **Body protection:** Light weight protective clothing

### SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

<b>Form:</b>	Solid.
<b>Colour:</b>	Colourless
<b>Odour:</b>	Pungent

- **pH-value (150 g/l) at 25 °C:** 4.6

- **Change in condition**

**Melting point/Melting range:** Not determined

**Boiling point/Boiling range:** Not determined

- **Flash point:** Not applicable

- **Self-inflammability:** Product is not selfigniting.

- **Danger of explosion:** Product is not explosive.

- **Critical values for explosion:**

**Oxidising properties** None

- **Vapour pressure:** Not applicable

- **Density** Not applicable

- **Solubility in / Miscibility with**

**Water:** Soluble

- **Viscosity:**

**dynamic:** Not applicable

(Contd. on page 5)

**Safety data sheet  
according to 1907/2006/EC, Article 31**

Printing date 12.05.2015

Version 7

Revision: 12.05.2015

**Trade name: X-Ray Rapid Fixer salt**

(Contd. of page 4)

<b>kinematic:</b>	Not applicable
<b>· Solvent content:</b>	
<b>Organic solvents:</b>	0.0 %
<b>Solids content:</b>	100.0 %
<b>· 9.2 Other information</b>	No further relevant information available.

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**  
Reacts with acids releasing sulphur dioxide  
Reacts with alkalis releasing ammonia
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

**SECTION 11: Toxicological information**

- **11.1 Information on toxicological effects**
- **Acute toxicity**

- **LD/LC50 values that are relevant for classification:**

**7681-57-4 disodium disulphite**

Oral | LD50 | 3200 mg/kg (rat)

**7783-18-8 ammonium thiosulphate**

Oral | LD50 | 1098 mg/kg (gpg)

2890 mg/kg (rat)

- **Specific symptoms in biological assay:** Not determined
- **Primary irritant effect:**
- **Skin corrosion/irritation** No irritant effect.
- **Serious eye damage/irritation** Strong irritant with the danger of severe eye injury.
- **Respiratory or skin sensitisation** No sensitizing effect known.
- **Subacute to chronic toxicity:** No known symptoms to date.
- **Additional toxicological information:**  
This statement was deduced from the properties of the single components.  
Causes serious eye damage.

**SECTION 12: Ecological information**

- **12.1 Toxicity**

- **Aquatic toxicity:**

**7681-57-4 disodium disulphite**

EC50/48 h | 89 mg/l (Daphnia magna)

LC50/96 h | 32 mg/l (Lepomis macrochirus)

- **12.2 Persistence and degradability** Not determined

(Contd. on page 6)



**Safety data sheet  
according to 1907/2006/EC, Article 31**

Printing date 12.05.2015

Version 7

Revision: 12.05.2015

**Trade name: X-Ray Rapid Fixer salt**

(Contd. of page 5)

- **12.3 Bioaccumulative potential** Not determined
- **Behaviour in environmental systems:** Not determined
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxic effects:** No further relevant information available.
- **Behaviour in sewage processing plants:** Not determined
- **Additional ecological information:**
- **General notes:**  
At present there are no ecotoxicological assessments.  
This statement was deduced from the properties of the single components.  
Water hazard class 1 (German Regulation) (Self-assessment): Weakly water-endangering.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.  
Must be specially treated under adherence to official regulations.

- **European waste catalogue**

09 01 04*	fixer solutions
-----------	-----------------

- **Uncleaned packagings:**
- **Recommendation:**  
Non contaminated packagings can be used for recycling.  
Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.  
Packagings that cannot be cleaned are to be disposed of in the same manner as the product.  
EAK-No. 15 01 10
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

### SECTION 14: Transport information

- |   |                 |
|---|-----------------|
| · <b>14.1 UN-Number</b><br>· <b>ADR, ADN, IMDG, IATA</b>                                    | Void            |
| · <b>14.2 UN proper shipping name</b><br>· <b>ADR</b><br>· <b>ADN, IMDG, IATA</b>           | Void<br>Void    |
| · <b>14.3 Transport hazard class(es)</b><br>· <b>ADR, ADN, IMDG, IATA</b><br>· <b>Class</b> | Void            |
| · <b>14.4 Packing group</b><br>· <b>ADR, IMDG, IATA</b>                                     | Void            |
| · <b>14.5 Environmental hazards:</b>  | Not applicable. |

(Contd. on page 7)

**Safety data sheet  
according to 1907/2006/EC, Article 31**

Printing date 12.05.2015

Version 7

Revision: 12.05.2015

**Trade name: X-Ray Rapid Fixer salt**

(Contd. of page 6)

- |   |  |
|---|--|
| · <b>14.6 Special precautions for user</b>  | Not applicable.                                      |
| · <b>14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable.                                      |
| · <b>Transport/Additional information:</b>  | Not dangerous according to the above specifications. |
| · <b>UN "Model Regulation":</b>   | -  |

**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National regulations**
- **Water hazard class:** Water hazard class 1 (Self-assessment): weakly water-endangering.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**· Relevant phrases**

H302 Harmful if swallowed.

H318 Causes serious eye damage.

R22 Harmful if swallowed.

R31 Contact with acids liberates toxic gas.

R41 Risk of serious damage to eyes.

- **Recommended restriction of use** No public product, only for commercial use

**· Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

**· Sources**

applicable EEC directives:

- 1907/2006

- 1272/2008

Internal physical tests, MSDS of the ingredients,

Information system on hazardous substances of the German Social Accident Insurance

(GESTIS-database on hazardous substances), <http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp>

- **\* Data compared to the previous version altered.**