

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 17.05.2015

Version 7

Revision: 17.05.2015


SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: Clarimat Super Developer**

- **Article number: 00174**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
To this day we do not have any information about the identified use at the moment. These data are available we will add these to the safety data sheet.
- **Application of the substance / the mixture**
Photochemicals
Developer for X-ray films
Reserved for industrial and professional use.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
ADEFO-CHEMIE GmbH
Justus-von-Liebig-Str. 24-26
D-63128 Dietzenbach
Tel.: +49 6074 84239-0
Fax: +49 6074 84239-63
E-Mail: service@adefo-chemie.de
www.adefo-chemie.de
- **Informing department:**
Tel.: +49 6074 84239-0
Fax: +49 6074 84239-63
E-Mail: kr@calbe-chemie.de
- **1.4 Emergency telephone number: Tel.: 0700-24112112 (CAL)**

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Skin Irrit. 2 H315 Causes skin irritation.
Eye Dam. 1 H318 Causes serious eye damage.
Skin Sens. 1 H317 May cause an allergic skin reaction.
Muta. 2 H341 Suspected of causing genetic defects.
Carc. 2 H351 Suspected of causing cancer.
Aquatic Acute 1 H400 Very toxic to aquatic life.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**


GHS05 GHS07 GHS08 GHS09
- **Signal word** Danger
- **Hazard-determining components of labelling:**
1,4-dihydroxybenzene (hydroquinone)
- **Hazard statements**
H315 Causes skin irritation.
H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.
H341 Suspected of causing genetic defects.

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.05.2015

Version 7

Revision: 17.05.2015

Trade name: Clarimat Super Developer

(Contd. of page 1)

H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

Precautionary statements

P280 Wear protective gloves / eye protection.

P273 Avoid release to the environment.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards
Results of PBT and vPvB assessment

 • **PBT:** Not applicable.

 • **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

 • **Description:** Mixture of the substances listed below with harmless additions.

Dangerous components:

CAS: 123-31-9 EINECS: 204-617-8 Index number: 604-005-00-4 Reg.nr.: 01-2119524016-51-xxxx	1,4-dihydroxybenzene (hydroquinone) ⚠ Muta. 2, H341; Carc. 2, H351 ⚠ Eye Dam. 1, H318 ⚠ Aquatic Acute 1, H400 (M=10) ⚠ Acute Tox. 4, H302; Skin Sens. 1, H317	3-5%
CAS: 1330-43-4 EINECS: 215-540-4 Index number: 005-011-00-4 Reg.nr.: 01-2119490790-32-xxxx	disodium tetraborate, anhydrous ⚠ Repr. 1B, H360FD	3-<4.5%
CAS: 1310-58-3 EINECS: 215-181-3 Index number: 019-002-00-8 Reg.nr.: 01-2119487136-33-xxxx	potassium hydroxide ⚠ Met. Corr.1, H290; Skin Corr. 1A, H314 ⚠ Acute Tox. 4, H302	1-<2%
CAS: 13047-13-7 EINECS: 235-920-3	4-(hydroxymethyl)-4-methyl-1-phenylpyrazolidin-3-one ⚠ Aquatic Chronic 2, H411 ⚠ Acute Tox. 4, H302; Skin Sens. 1, H317	0.3-<0.5%

SVHC

1330-43-4 | disodium tetraborate, anhydrous

 • **Additional information** For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures
General information

Personal protection for the First Aider.

Instantly remove any clothing soiled by the product.

 • **After inhalation** Supply fresh air.

 • **After skin contact** Instantly wash with water and soap and rinse thoroughly.

After eye contact

Rinse opened eye for several minutes under running water (at least 15 minutes).

(Contd. on page 3)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.05.2015

Version 7

Revision: 17.05.2015

Trade name: Clarimat Super Developer

(Contd. of page 2)

Remove contact lenses, if present and easy to do.
Use eye protection.
Call a doctor immediately.

· After swallowing

Rinse out mouth and then drink plenty of water.
Do not induce vomiting; instantly call for medical help.

· 4.2 Most important symptoms and effects, both acute and delayed

No known symptoms to date.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media**· Suitable extinguishing agents**

CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
Use fire fighting measures that suit the environment.

· For safety reasons unsuitable extinguishing agents Water with a full water jet.**· 5.2 Special hazards arising from the substance or mixture**

Can be released in case of fire

Sulphur oxides (SO_x)

Carbon monoxide

· 5.3 Advice for firefighters**· Protective equipment:**

Do not inhale explosion gases or combustion gases.

At formation of toxic gases:

Put on breathing apparatus.

· Additional information The product is not flammable

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

· 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.**· 6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Do not handle until all safety precautions have been read and understood.

· Information about protection against explosions and fires:

No special measures required.

The product is not flammable

· 7.2 Conditions for safe storage, including any incompatibilities**· Storage****· Requirements to be met by storerooms and containers:**

Keep container tightly closed in a cool, well-ventilated place.

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.05.2015

Version 7

Revision: 17.05.2015

Trade name: Clarimat Super Developer

(Contd. of page 3)

- **Information about storage in one common storage facility:**
Do not store together with acids.
Store away from oxidising agents.
Keep away from foodstuffs, beverages and food.
- **Further information about storage conditions:**
Store in cool, dry conditions in well sealed containers.
Protect from heat and direct sunlight.
- **Recommended storage temperature:** 5-25 °C
- **Storage class**
LGK 12
(German Technical Rule for Hazardous Substance – TRGS 510)
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **8.1 Control parameters**

- **Components with limit values that require monitoring at the workplace:**

123-31-9 1,4-dihydroxybenzene (hydroquinone)	
WEL	Long-term value: 0.5 mg/m ³
1330-43-4 disodium tetraborate, anhydrous	
WEL	Long-term value: 1 mg/m ³
1310-58-3 potassium hydroxide	
WEL	Short-term value: 2 mg/m ³

- **Additional information:** The lists that were valid during the compilation were used as basis.

- **8.2 Exposure controls**

- **Personal protective equipment**

- **General protective and hygienic measures**

The usual precautionary measures should be adhered to general rules for handling chemicals.
Keep away from foodstuffs, beverages and food.
Take off immediately all contaminated clothing.
Wash hands during breaks and at the end of the work.
Do not eat, drink or smoke while working.
Avoid contact with the eyes and skin.

- **Breathing equipment:** Not required.

- **Protection of hands:**

Protective gloves.

The protective gloves to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN 374.

This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.

Only use chemical-protective gloves with CE-labelling of category III.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

	Thickness (mm)	Breakthrough time (min)
Nitril rubber	0,38	> 480
Neoprene	0,65	> 240
Butyl rubber	0,36	> 480
Avoid natural rubber gloves.		

(Contd. on page 5)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 17.05.2015

Version 7

Revision: 17.05.2015

Trade name: Clarimat Super Developer

(Contd. of page 4)

- **As protection from splashes gloves made of the following materials are suitable:**

Synthetic gloves

Value for permeation: Level:

≥ 3 (60 min)

- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form: Fluid**Colour:** Light yellow

Clear

- **Odour:** Not characteristic

- **pH-value at 25 °C:** 11.1

- **Change in condition**

Melting point/Melting range: < 5 °C**Boiling point/Boiling range:** > 100 °C

- **Flash point:** Not applicable

- **Self-inflammability:** Product is not selfigniting.

- **Danger of explosion:** Product is not explosive.

- **Critical values for explosion:**

Oxidising properties None

- **Vapour pressure at 20 °C:** 23 hPa

- **Density at 20 °C** 1.29 g/cm³

- **Solubility in / Miscibility with**

Water: miscible

- **Viscosity:**

dynamic: Not determined**kinematic:** Not determined

- **Solvent content:**

Organic solvents: 0 %**Water:** ~ 65 %

- **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity**

- **10.2 Chemical stability**

- **Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

- **10.3 Possibility of hazardous reactions**

Reacts with strong acids

Reacts with acids releasing sulphur dioxide

- **10.4 Conditions to avoid** No further relevant information available.

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.05.2015

Version 7

Revision: 17.05.2015

Trade name: Clarimat Super Developer

(Contd. of page 5)

- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** None

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**

- **LD/LC50 values that are relevant for classification:**

123-31-9 1,4-dihydroxybenzene (hydroquinone)

Oral	LD50	320 mg/kg
------	------	-----------

1330-43-4 disodium tetraborate, anhydrous

Oral	LD50	4500 mg/kg (rat)
------	------	------------------

1310-58-3 potassium hydroxide

Oral	LD50	365 mg/kg (rat)
------	------	-----------------

13047-13-7 4-(hydroxymethyl)-4-methyl-1-phenylpyrazolidin-3-one

Oral	LD50	565 mg/kg (rat)
Dermal	LD50	> 2000 mg/kg (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Irritant to skin and mucous membranes.
- **Serious eye damage/irritation** Irritant effect.

- **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Mixtures as issued in the latest version:

Harmful

Irritant

At present there are no animal experimental data.

This statement was deduced from the properties of the single components.

Hydroquinone has been included in the German "TRGS 905" (Technical Rules for Dangerous Substances/Index of carcinogen and mutagen substances or substances dangerous to reproductive systems), and has been classified as "Category 3" of carcinogen and mutagen substances (3 = category of lowest dangerousness). The according EU committees have not yet evaluated this classification.

- **Sensitisation** May cause sensitisation by skin contact.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

Limited evidence of a carcinogenic effect.

Possible risk of irreversible effects.

Muta. 2, Carc. 2

SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

123-31-9 1,4-dihydroxybenzene (hydroquinone)

EC50/48 h	0.29 mg/l (Daphnia magna)
-----------	---------------------------

IC50/72 h	0.335 mg/l (Selenastrum capricornutum)
-----------	--

LC50/96 h	0.044 mg/l (Pimephales promelas)
-----------	----------------------------------

1310-58-3 potassium hydroxide

LC50/96 h	80 mg/l (Gambusia affinis)
-----------	----------------------------

(Contd. on page 7)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 17.05.2015

Version 7

Revision: 17.05.2015

Trade name: Clarimat Super Developer

(Contd. of page 6)

13047-13-7 4-(hydroxymethyl)-4-methyl-1-phenylpyrazolidin-3-one

LC50/96 h | 1 - 10 mg/l (Pimephales promelas)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **Behaviour in environmental systems:** Not determined
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxic effects:** No further relevant information available.
- **Behaviour in sewage processing plants:** Not determined
- **Additional ecological information:**
- **General notes:**
 Water hazard class 3 (German Regulation) (Self-assessment): highly water-endangering.
 Do not allow product to reach ground water, water bodies or sewage system.
 At present there are no ecotoxicological assessments.
 This statement was deduced from the properties of the single components.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Must be specially treated under adherence to official regulations.

· **European waste catalogue**

09 01 01* | water-based developer and activator solutions

- **Uncleaned packagings:**
- **Recommendation:**
 Non contaminated packagings can be used for recycling.
 Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
 Packagings that cannot be cleaned are to be disposed of in the same manner as the product.
 EAK-No. 15 01 10
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

- **14.1 UN-Number**
- **ADR, IMDG, IATA** UN 3082
- **14.2 UN proper shipping name**
- **ADR** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,4-dihydroxybenzene (hydroquinone))
- **IMDG, IATA** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (hydroquinone)

(Contd. on page 8)

GB

Safety data sheet
according to 1907/2006/EC, Article 31


Printing date 17.05.2015

Version 7

Revision: 17.05.2015

Trade name: Clarimat Super Developer

(Contd. of page 7)

· 14.3 Transport hazard class(es)
· ADR, IMDG, IATA


· Class	9 Miscellaneous dangerous substances and articles.
· Label	9

· 14.4 Packing group

· ADR, IMDG, IATA	III
--------------------------	-----

· 14.5 Environmental hazards:

· Marine pollutant:	Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
· Special marking (IATA):	Symbol (fish and tree)

· 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
--	---

· 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
---	-----------------

· Transport/Additional information:	These substances when transported in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less for liquids or having a net mass of 5 kg or less for solids, are not subject to any other provisions of these Regulations provided the packagings meet the general. See the following notes.
--	--

· ADR	Goods are not subject to the provisions in accordance with the special provision 375 ADR.
--------------	---

· IMDG	Goods are not subject to the provisions in accordance with 2.10.2.7 IMDG-Code.
---------------	--

· IATA	Goods are not subject to the provisions in accordance with the special provision 197 IATA-DGR.
---------------	--

· Remarks:	PAX/CAO 964
-------------------	-------------

· UN "Model Regulation":	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,4-dihydroxybenzene (hydroquinone)), 9, III
---------------------------------	---

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
· Directive 2012/18/EU
· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations
· Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

(Contd. on page 9)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.05.2015

Version 7

Revision: 17.05.2015

Trade name: Clarimat Super Developer

(Contd. of page 8)

Class	Share in %
I	4.3

- **Water hazard class:** Water danger class 3 (Self-assessment): highly water-endangering.
- **Other regulations, limitations and prohibitive regulations**

<ul style="list-style-type: none"> · Substances of very high concern (SVHC) according to REACH, Article 57
--

1330-43-4	disodium tetraborate, anhydrous
-----------	---------------------------------

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H290 May be corrosive to metals.
 H302 Harmful if swallowed.
 H314 Causes severe skin burns and eye damage.
 H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H341 Suspected of causing genetic defects.
 H351 Suspected of causing cancer.
 H360FD May damage fertility. May damage the unborn child.
 H400 Very toxic to aquatic life.
 H411 Toxic to aquatic life with long lasting effects.

- **Recommended restriction of use** No public product, only for commercial use

- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 ICAO: International Civil Aviation Organisation
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 Met. Corr. 1: Corrosive to metals, Hazard Category 1
 Acute Tox. 4: Acute toxicity, Hazard Category 4
 Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A
 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1
 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1
 Muta. 2: Germ cell mutagenicity, Hazard Category 2
 Carc. 2: Carcinogenicity, Hazard Category 2
 Repr. 1B: Reproductive toxicity, Hazard Category 1B
 Aquatic Acute 1: Hazardous to the aquatic environment - Acute Hazard, Category 1
 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

- **Sources**

applicable EEC directives:

- 1907/2006
- 1272/2008

Internal physical tests, MSDS of the ingredients,
 Information system on hazardous substances of the German Social Accident Insurance
 (GESTIS-database on hazardous substances), <http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp>

- *** Data compared to the previous version altered.**

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 17.05.2015

Version 7

Revision: 17.05.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: Clarimat Super Fixer**

- **Article number: 00174**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
To this day we do not have any information about the identified use at the moment. These data are available we will add these to the safety data sheet.
- **Application of the substance / the mixture**
Photochemicals
Fixing agent for X-ray films
Reserved for industrial and professional use.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
ADEFO-CHEMIE GmbH
Justus-von-Liebig-Str. 24-26
D-63128 Dietzenbach
Tel.: +49 6074 84239-0
Fax: +49 6074 84239-63
E-Mail: service@adefo-chemie.de
www.adefo-chemie.de
- **Informing department:**
Tel.: +49 6074 84239-0
Fax: +49 6074 84239-63
E-Mail: kr@calbe-chemie.de
- **1.4 Emergency telephone number: Tel.: 0700-24112112 (CAL)**

SECTION 2: Hazards identification



- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified according to the CLP regulation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Additional information:**
Safety data sheet available on request.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of the substances listed below with harmless additions.

• **Dangerous components:**

CAS: 7681-57-4	disodium disulphite	2-<3%
EINECS: 231-673-0	 Eye Dam. 1, H318	
Index number: 016-063-00-2	 Acute Tox. 4, H302	
Reg.nr.: 01-2119531326-45-xxxx		

(Contd. on page 2)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.05.2015

Version 7

Revision: 17.05.2015

Trade name: Clarimat Super Fixer

(Contd. of page 1)

- **Additional information** For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information**
Personal protection for the First Aider.
Instantly remove any clothing soiled by the product.
- **After inhalation** Supply fresh air.
- **After skin contact**
Instantly wash with water and soap and rinse thoroughly.
The product is not skin irritating.
- **After eye contact**
Rinse opened eye for several minutes under running water (> 15 min). Then consult doctor.
- **After swallowing**
Rinse out mouth and then drink plenty of water.
In case of persistent symptoms consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**
No known symptoms to date.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**
CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
- **5.2 Special hazards arising from the substance or mixture**
Can be released in case of fire
sulphur dioxide (SO₂)
Nitrogen oxides (NO_x)
- **5.3 Advice for firefighters**
- **Protective equipment:**
Do not inhale explosion gases or combustion gases.
Put on breathing apparatus.
- **Additional information** The product is not flammable

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** Do not allow to enter drainage system, surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to item 13.
- **6.4 Reference to other sections**
See Section 8 for information on personal protection equipment.

(Contd. on page 3)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.05.2015

Version 7

Revision: 17.05.2015

Trade name: Clarimat Super Fixer

See Section 13 for information on disposal.

(Contd. of page 2)

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:**
No special measures required.
The product is not flammable
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:**
Keep away from foodstuffs, beverages and food.
- **Further information about storage conditions:** Store in a cool place.
- **Recommended storage temperature:** 5-25 °C
- **Storage class**
LGK 12
(German Technical Rule for Hazardous Substance – TRGS 510)
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **8.1 Control parameters**

- **Components with limit values that require monitoring at the workplace:**

7681-57-4 disodium disulphiteWEL Long-term value: 5 mg/m³

- **Additional information:** The lists that were valid during the compilation were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
The usual precautionary measures should be adhered to general rules for handling chemicals.
- **Breathing equipment:** Not required.
- **Protection of hands:**
Protective gloves.
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
Synthetic gloves
Avoid natural rubber gloves.
- **Penetration time of glove material**
Value for permeation: Level ≤ 6 (480 min)
The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.
- **As protection from splashes gloves made of the following materials are suitable:**
Synthetic gloves
Value for permeation: Level:
≥ 3 (60 min)

(Contd. on page 4)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 17.05.2015

Version 7

Revision: 17.05.2015

Trade name: Clarimat Super Fixer

(Contd. of page 3)

- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties· **9.1 Information on basic physical and chemical properties**· **General Information**· **Appearance:**

· Form:	Fluid
· Colour:	Colourless
· Odour:	Nearly odourless

· **pH-value at 25 °C:** 5.3· **Change in condition**

· Melting point/Melting range:	< 5 °C
· Boiling point/Boiling range:	> 100 °C

· **Flash point:** Not applicable· **Self-inflammability:** Product is not selfigniting.· **Danger of explosion:** Product is not explosive.· **Vapour pressure at 20 °C:** 23 hPa· **Density at 20 °C** 1.29 g/cm³· **Solubility in / Miscibility with**· **Water:** miscible· **Viscosity:**

· dynamic:	Not determined
· kinematic:	Not determined

· **Solvent content:**

· Organic solvents:	0 %
· Water:	~ 50 %

· **9.2 Other information** No further relevant information available.**SECTION 10: Stability and reactivity**· **10.1 Reactivity**· **10.2 Chemical stability**· **Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

· **10.3 Possibility of hazardous reactions**

Reacts with strong acids and alkali
Reacts with acids releasing sulphur dioxide
Reacts with alkalis releasing ammonia

· **10.4 Conditions to avoid** No further relevant information available.· **10.5 Incompatible materials:** No further relevant information available.· **10.6 Hazardous decomposition products:**

Sulphur dioxide
Ammonia

GB

(Contd. on page 5)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 17.05.2015

Version 7

Revision: 17.05.2015

Trade name: Clarimat Super Fixer

(Contd. of page 4)

SECTION 11: Toxicological information

• **11.1 Information on toxicological effects**

• **Acute toxicity**

• **LD/LC50 values that are relevant for classification:**

7681-57-4 disodium disulphite

Oral	LD50	3200 mg/kg (rat)
------	------	------------------

64-19-7 acetic acid

Oral	LD50	3310 mg/kg (rat)
------	------	------------------

Dermal	LD50	1060 mg/kg (rabbit)
--------	------	---------------------

7783-18-8 ammonium thiosulphate

Oral	LD50	1098 mg/kg (gpg)
------	------	------------------

		2890 mg/kg (rat)
--	--	------------------

• **Primary irritant effect:**

• **Skin corrosion/irritation** No irritant effect.

• **Serious eye damage/irritation** Irritant effect.

• **Respiratory or skin sensitisation** No sensitizing effect known.

• **Subacute to chronic toxicity:** No known symptoms to date.

• **Additional toxicological information:**

This statement was deduced from the properties of the single components.

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

SECTION 12: Ecological information

• **12.1 Toxicity**

• **Aquatic toxicity:**

7681-57-4 disodium disulphite

EC50/48 h	89 mg/l (Daphnia magna)
-----------	-------------------------

LC50/96 h	32 mg/l (Lepomis macrochirus)
-----------	-------------------------------

64-19-7 acetic acid

LC50/96 h	75 mg/l (Lepomis macrochirus)
-----------	-------------------------------

• **12.2 Persistence and degradability** Not determined

• **12.3 Bioaccumulative potential** Not determined

• **Behaviour in environmental systems:** Not determined

• **12.4 Mobility in soil** No further relevant information available.

• **Ecotoxicological effects:** No further relevant information available.

• **Behaviour in sewage processing plants:** Not determined

• **Additional ecological information:**

• **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): Weakly water-endangering.

The product does not contain organically bounded halogens (AOX-free).

At present there are no ecotoxicological assessments.

This statement was deduced from the properties of the single components.

• **12.5 Results of PBT and vPvB assessment**

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

(Contd. on page 6)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 17.05.2015

Version 7

Revision: 17.05.2015

Trade name: Clarimat Super Fixer· **12.6 Other adverse effects** No further relevant information available.

(Contd. of page 5)

SECTION 13: Disposal considerations· **13.1 Waste treatment methods**· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Must be specially treated under adherence to official regulations.

· **European waste catalogue**

09 01 04* fixer solutions

· **Uncleaned packagings:**· **Recommendation:**

Non contaminated packagings can be used for recycling.

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

EAK-No. 15 01 10

· **Recommended cleaning agent:** Water, if necessary with cleaning agent.**SECTION 14: Transport information**· **14.1 UN-Number**· **ADR, ADN, IMDG, IATA**

Void

· **14.2 UN proper shipping name**· **ADR**

Void

· **ADN, IMDG, IATA**

Void

· **14.3 Transport hazard class(es)**· **ADR, ADN, IMDG, IATA**· **Class**

Void

· **14.4 Packing group**· **ADR, IMDG, IATA**

Void

· **14.5 Environmental hazards:**

Not applicable.

· **14.6 Special precautions for user**

Not applicable.

· **14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

· **Transport/Additional information:**

Not dangerous according to the above specifications.

· **UN "Model Regulation":**

-

SECTION 15: Regulatory information· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**· **Directive 2012/18/EU**· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

(Contd. on page 7)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 17.05.2015

Version 7

Revision: 17.05.2015

Trade name: Clarimat Super Fixer

(Contd. of page 6)

· National regulations

Class	Share in %
II	0.9

- **Water hazard class:** Water hazard class 1 (Self-assessment): weakly water-endangering.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.
H318 Causes serious eye damage.

- **Recommended restriction of use** No public product, only for commercial use

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
Acute Tox. 4: Acute toxicity, Hazard Category 4
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

· Sources

applicable EEC directives:

- 1907/2006
- 1272/2008

Internal physical tests, MSDS of the ingredients,
Information system on hazardous substances of the German Social Accident Insurance
(GESTIS-database on hazardous substances), <http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp>

- * **Data compared to the previous version altered.**

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 17.05.2015

Version 7

Revision: 17.05.2015


SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: Clarimat Super Developer Replenisher**

- **Article number:** 00174
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
To this day we do not have any information about the identified use at the moment. These data are available we will add these to the safety data sheet.
- **Application of the substance / the mixture**
Photochemicals
Developer for X-ray films
Reserved for industrial and professional use.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
ADEFO-CHEMIE GmbH
Justus-von-Liebig-Str. 24-26
D-63128 Dietzenbach
Tel.: +49 6074 84239-0
Fax: +49 6074 84239-63
E-Mail: service@adefo-chemie.de
www.adefo-chemie.de
- **Informing department:**
Tel.: +49 6074 84239-0
Fax: +49 6074 84239-63
E-Mail: kr@calbe-chemie.de
- **1.4 Emergency telephone number:** Tel.: 0700-24112112 (CAL)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Skin Irrit. 2 H315 Causes skin irritation.
Eye Dam. 1 H318 Causes serious eye damage.
Skin Sens. 1 H317 May cause an allergic skin reaction.
Muta. 2 H341 Suspected of causing genetic defects.
Carc. 2 H351 Suspected of causing cancer.
Aquatic Acute 1 H400 Very toxic to aquatic life.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**


GHS05 GHS07 GHS08 GHS09
- **Signal word** Danger
- **Hazard-determining components of labelling:**
1,4-dihydroxybenzene (hydroquinone)
- **Hazard statements**
H315 Causes skin irritation.
H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.
H341 Suspected of causing genetic defects.

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.05.2015

Version 7

Revision: 17.05.2015

Trade name: Clarimat Super Developer Replenisher

(Contd. of page 1)

H351 Suspected of causing cancer.

H400 Very toxic to aquatic life.

Precautionary statements

P280 Wear protective gloves / eye protection.

P273 Avoid release to the environment.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards
Results of PBT and vPvB assessment

 • **PBT:** Not applicable.

 • **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

 • **Description:** Mixture of the substances listed below with harmless additions.

Dangerous components:

CAS: 123-31-9 EINECS: 204-617-8 Index number: 604-005-00-4 Reg.nr.: 01-2119524016-51-xxxx	1,4-dihydroxybenzene (hydroquinone) ⚠ Muta. 2, H341; Carc. 2, H351 ⚠ Eye Dam. 1, H318 ⚠ Aquatic Acute 1, H400 (M=10) ⚠ Acute Tox. 4, H302; Skin Sens. 1, H317	3-5%
CAS: 1330-43-4 EINECS: 215-540-4 Index number: 005-011-00-4 Reg.nr.: 01-2119490790-32-xxxx	disodium tetraborate, anhydrous ⚠ Repr. 1B, H360FD	3-<4.5%
CAS: 1310-58-3 EINECS: 215-181-3 Index number: 019-002-00-8 Reg.nr.: 01-2119487136-33-xxxx	potassium hydroxide ⚠ Met. Corr.1, H290; Skin Corr. 1A, H314 ⚠ Acute Tox. 4, H302	1-<2%
CAS: 13047-13-7 EINECS: 235-920-3	4-(hydroxymethyl)-4-methyl-1-phenylpyrazolidin-3-one ⚠ Aquatic Chronic 2, H411 ⚠ Acute Tox. 4, H302; Skin Sens. 1, H317	0.3-<0.5%

SVHC

1330-43-4 | disodium tetraborate, anhydrous

 • **Additional information** For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures
General information

Personal protection for the First Aider.

Instantly remove any clothing soiled by the product.

 • **After inhalation** Supply fresh air.

 • **After skin contact** Instantly wash with water and soap and rinse thoroughly.

After eye contact

Rinse opened eye for several minutes under running water (at least 15 minutes).

(Contd. on page 3)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 17.05.2015

Version 7

Revision: 17.05.2015

Trade name: Clarimat Super Developer Replenisher

(Contd. of page 2)

Remove contact lenses, if present and easy to do.
Use eye protection.
Call a doctor immediately.

· After swallowing

Rinse out mouth and then drink plenty of water.
Do not induce vomiting; instantly call for medical help.

· 4.2 Most important symptoms and effects, both acute and delayed

No known symptoms to date.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media**· Suitable extinguishing agents**

CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
Use fire fighting measures that suit the environment.

· For safety reasons unsuitable extinguishing agents Water with a full water jet.**· 5.2 Special hazards arising from the substance or mixture**

Can be released in case of fire
Sulphur oxides (SO_x)
Carbon monoxide

· 5.3 Advice for firefighters**· Protective equipment:**

Do not inhale explosion gases or combustion gases.
At formation of toxic gases:
Put on breathing apparatus.

· Additional information The product is not flammable

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective clothing.

· 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.**· 6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to item 13.

· 6.4 Reference to other sections

See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Do not handle until all safety precautions have been read and understood.

· Information about protection against explosions and fires:

No special measures required.
The product is not flammable

· 7.2 Conditions for safe storage, including any incompatibilities**· Storage****· Requirements to be met by storerooms and containers:**

Keep container tightly closed in a cool, well-ventilated place.

(Contd. on page 4)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 17.05.2015

Version 7

Revision: 17.05.2015

Trade name: Clarimat Super Developer Replenisher

(Contd. of page 3)

- **Information about storage in one common storage facility:**
 Do not store together with acids.
 Store away from oxidising agents.
 Keep away from foodstuffs, beverages and food.
- **Further information about storage conditions:**
 Store in cool, dry conditions in well sealed containers.
 Protect from heat and direct sunlight.
- **Recommended storage temperature:** 5-25 °C
- **Storage class**
 LGK 12
 (German Technical Rule for Hazardous Substance – TRGS 510)
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **8.1 Control parameters**

- **Components with limit values that require monitoring at the workplace:**

123-31-9 1,4-dihydroxybenzene (hydroquinone)

WEL Long-term value: 0.5 mg/m³

1330-43-4 disodium tetraborate, anhydrous

WEL Long-term value: 1 mg/m³

1310-58-3 potassium hydroxide

WEL Short-term value: 2 mg/m³

- **Additional information:** The lists that were valid during the compilation were used as basis.
 - **8.2 Exposure controls**
 - **Personal protective equipment**
 - **General protective and hygienic measures**
 The usual precautionary measures should be adhered to general rules for handling chemicals.
 Keep away from foodstuffs, beverages and food.
 Take off immediately all contaminated clothing.
 Wash hands during breaks and at the end of the work.
 Do not eat, drink or smoke while working.
 Avoid contact with the eyes and skin.
 - **Breathing equipment:** Not required.
 - **Protection of hands:**
 Protective gloves.
 The protective gloves to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN 374.
 This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.
 Only use chemical-protective gloves with CE-labelling of category III.
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
 - **Material of gloves**
- | | Thickness
(mm) | Breakthrough time
(min) |
|------------------------------|-------------------|----------------------------|
| Nitril rubber | 0,38 | > 480 |
| Neoprene | 0,65 | > 240 |
| Butyl rubber | 0,36 | > 480 |
| Avoid natural rubber gloves. | | |

(Contd. on page 5)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 17.05.2015

Version 7

Revision: 17.05.2015

Trade name: Clarimat Super Developer Replenisher

(Contd. of page 4)

- **As protection from splashes gloves made of the following materials are suitable:**

Synthetic gloves

Value for permeation: Level:

≥ 3 (60 min)

- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form: Fluid

Colour: Light yellow

Clear

- **Odour:** Not characteristic

- **pH-value at 25 °C:** 11.1

- **Change in condition**

Melting point/Melting range: < 5 °C

Boiling point/Boiling range: > 100 °C

- **Flash point:** Not applicable

- **Self-inflammability:** Product is not selfigniting.

- **Danger of explosion:** Product is not explosive.

- **Critical values for explosion:**

Oxidising properties None

- **Vapour pressure at 20 °C:** 23 hPa

- **Density at 20 °C** 1.29 g/cm³

- **Solubility in / Miscibility with**

Water: miscible

- **Viscosity:**

dynamic: Not determined

kinematic: Not determined

- **Solvent content:**

Organic solvents: 0 %

Water: ~ 65 %

- **9.2 Other information** No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity**

- **10.2 Chemical stability**

- **Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

- **10.3 Possibility of hazardous reactions**

Reacts with strong acids

Reacts with acids releasing sulphur dioxide

- **10.4 Conditions to avoid** No further relevant information available.

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 17.05.2015

Version 7

Revision: 17.05.2015

Trade name: Clarimat Super Developer Replenisher

(Contd. of page 5)

- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** None

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**

- **LD/LC50 values that are relevant for classification:**

123-31-9 1,4-dihydroxybenzene (hydroquinone)

Oral	LD50	320 mg/kg
------	------	-----------

1330-43-4 disodium tetraborate, anhydrous

Oral	LD50	4500 mg/kg (rat)
------	------	------------------

1310-58-3 potassium hydroxide

Oral	LD50	365 mg/kg (rat)
------	------	-----------------

13047-13-7 4-(hydroxymethyl)-4-methyl-1-phenylpyrazolidin-3-one

Oral	LD50	565 mg/kg (rat)
------	------	-----------------

Dermal	LD50	> 2000 mg/kg (rat)
--------	------	--------------------

- **Primary irritant effect:**
- **Skin corrosion/irritation** Irritant to skin and mucous membranes.
- **Serious eye damage/irritation** Irritant effect.

- **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Mixtures as issued in the latest version:

Harmful

Irritant

At present there are no animal experimental data.

This statement was deduced from the properties of the single components.

Hydroquinone has been included in the German "TRGS 905" (Technical Rules for Dangerous Substances/Index of carcinogen and mutagen substances or substances dangerous to reproductive systems), and has been classified as "Category 3" of carcinogen and mutagen substances (3 = category of lowest dangerousness). The according EU committees have not yet evaluated this classification.

- **Sensitisation** May cause sensitisation by skin contact.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

Limited evidence of a carcinogenic effect.

Possible risk of irreversible effects.

Muta. 2, Carc. 2

SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

123-31-9 1,4-dihydroxybenzene (hydroquinone)

EC50/48 h	0.29 mg/l (Daphnia magna)
-----------	---------------------------

IC50/72 h	0.335 mg/l (Selenastrum capricornutum)
-----------	--

LC50/96 h	0.044 mg/l (Pimephales promelas)
-----------	----------------------------------

1310-58-3 potassium hydroxide

LC50/96 h	80 mg/l (Gambusia affinis)
-----------	----------------------------

(Contd. on page 7)



**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 17.05.2015

Version 7

Revision: 17.05.2015

Trade name: Clarimat Super Developer Replenisher

(Contd. of page 6)

13047-13-7 4-(hydroxymethyl)-4-methyl-1-phenylpyrazolidin-3-one

LC50/96 h | 1 - 10 mg/l (Pimephales promelas)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **Behaviour in environmental systems:** Not determined
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxic effects:** No further relevant information available.
- **Behaviour in sewage processing plants:** Not determined
- **Additional ecological information:**
- **General notes:**
Water hazard class 3 (German Regulation) (Self-assessment): highly water-endangering.
Do not allow product to reach ground water, water bodies or sewage system.
At present there are no ecotoxicological assessments.
This statement was deduced from the properties of the single components.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Must be specially treated under adherence to official regulations.

· **European waste catalogue**

09 01 01* | water-based developer and activator solutions

- **Uncleaned packagings:**
- **Recommendation:**
Non contaminated packagings can be used for recycling.
Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
Packagings that cannot be cleaned are to be disposed of in the same manner as the product.
EAK-No. 15 01 10
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

- **14.1 UN-Number**
- **ADR, IMDG, IATA** UN 3082
- **14.2 UN proper shipping name**
- **ADR** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,4-dihydroxybenzene (hydroquinone))
- **IMDG, IATA** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (hydroquinone)

(Contd. on page 8)

GB

Safety data sheet
according to 1907/2006/EC, Article 31


Printing date 17.05.2015

Version 7

Revision: 17.05.2015

Trade name: Clarimat Super Developer Replenisher

(Contd. of page 7)

· 14.3 Transport hazard class(es)
· ADR, IMDG, IATA


· Class 9 Miscellaneous dangerous substances and articles.
· Label 9

· 14.4 Packing group

· ADR, IMDG, IATA III

· 14.5 Environmental hazards:

· Marine pollutant: Symbol (fish and tree)
· Special marking (ADR): Symbol (fish and tree)
· Special marking (IATA): Symbol (fish and tree)

· 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles.

· 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

· Transport/Additional information:

These substances when transported in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less for liquids or having a net mass of 5 kg or less for solids, are not subject to any other provisions of these Regulations provided the packagings meet the general.
 See the following notes.

· ADR Goods are not subject to the provisions in accordance with the special provision 375 ADR.

· IMDG Goods are not subject to the provisions in accordance with 2.10.2.7 IMDG-Code.

· IATA Goods are not subject to the provisions in accordance with the special provision 197 IATA-DGR.

· Remarks: PAX/CAO 964

· UN "Model Regulation": UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,4-dihydroxybenzene (hydroquinone)), 9, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations
· Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

(Contd. on page 9)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 17.05.2015

Version 7

Revision: 17.05.2015

Trade name: Clarimat Super Developer Replenisher

(Contd. of page 8)

Class	Share in %
I	4.3

- **Water hazard class:** Water danger class 3 (Self-assessment): highly water-endangering.
- **Other regulations, limitations and prohibitive regulations**

• **Substances of very high concern (SVHC) according to REACH, Article 57**

1330-43-4	disodium tetraborate, anhydrous
-----------	---------------------------------

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Relevant phrases**

- H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H341 Suspected of causing genetic defects.
- H351 Suspected of causing cancer.
- H360FD May damage fertility. May damage the unborn child.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.

- **Recommended restriction of use** No public product, only for commercial use

• **Abbreviations and acronyms:**

- RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
- ICAO: International Civil Aviation Organisation
- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- Met. Corr. 1: Corrosive to metals, Hazard Category 1
- Acute Tox. 4: Acute toxicity, Hazard Category 4
- Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A
- Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
- Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1
- Skin Sens. 1: Sensitisation - Skin, Hazard Category 1
- Muta. 2: Germ cell mutagenicity, Hazard Category 2
- Carc. 2: Carcinogenicity, Hazard Category 2
- Repr. 1B: Reproductive toxicity, Hazard Category 1B
- Aquatic Acute 1: Hazardous to the aquatic environment - Acute Hazard, Category 1
- Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

• **Sources**

- applicable EEC directives:
 - 1907/2006
 - 1272/2008
- Internal physical tests, MSDS of the ingredients,
- Information system on hazardous substances of the German Social Accident Insurance (GESTIS-database on hazardous substances), <http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp>

- *** Data compared to the previous version altered.**