

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 08.05.2015

Version 7

Revision: 08.05.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Trade name: Duromat Developer part A****Article number:** 00042, 04042**1.2 Relevant identified uses of the substance or mixture and uses advised against**

To this day we do not have any information about the identified use at the moment. These data are available we will add these to the safety data sheet.

Application of the substance / the mixture

Photochemicals
Developer for X-ray films
Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet**Manufacturer/Supplier:**

ADEFO-CHEMIE GmbH
Justus-von-Liebig-Str. 24-26
D-63128 Dietzenbach
Tel.: +49 6074 84239-0
Fax: +49 6074 84239-63
E-Mail: service@adefo-chemie.de
www.adefo-chemie.de

Informing department:

Tel.: +49 6074 84239-0
Fax: +49 6074 84239-63
E-Mail: kr@calbe-chemie.de

1.4 Emergency telephone number: Tel.: 0700-24112112 (CAL)**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Eye Dam. 1 H318 Causes serious eye damage.
Skin Sens. 1 H317 May cause an allergic skin reaction.
Muta. 2 H341 Suspected of causing genetic defects.
Carc. 2 H351 Suspected of causing cancer.
Aquatic Acute 1 H400 Very toxic to aquatic life.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xn; Harmful

R40-68: Limited evidence of a carcinogenic effect. Possible risk of irreversible effects.

Xi; Irritant

R36: Irritating to eyes.

Xi; Sensitising

R43: May cause sensitisation by skin contact.

N; Dangerous for the environment

R50: Very toxic to aquatic organisms.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

Classification system:

The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.05.2015

Version 7

Revision: 08.05.2015

Trade name: Duomat Developer part A

(Contd. of page 1)

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS05 GHS07 GHS08 GHS09

- **Signal word** Danger
- **Hazard-determining components of labelling:**
1,4-dihydroxybenzene (hydroquinone)
- **Hazard statements**
H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.
H341 Suspected of causing genetic defects.
H351 Suspected of causing cancer.
H400 Very toxic to aquatic life.
- **Precautionary statements**
P280 Wear protective gloves / eye protection.
P273 Avoid release to the environment.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of the substances listed below with harmless additions.

Dangerous components:

CAS: 123-31-9 EINECS: 204-617-8 Index number: 604-005-00-4 Reg.nr.: 01-2119524016-51-xxxx	1,4-dihydroxybenzene (hydroquinone) ☒ Xn R22-40-68 ☒ Xi R41 ☒ Xi R43 ☒ N R50 Carc. Cat. 3, Muta. Cat. 3 ⚠ Muta. 2, H341; Carc. 2, H351 ⚠ Eye Dam. 1, H318 ⚠ Aquatic Acute 1, H400 ⚠ Acute Tox. 4, H302; Skin Sens. 1, H317	5.0-10%
CAS: 111-46-6 EINECS: 203-872-2 Index number: 603-140-00-6 Reg.nr.: 01-2119457857-21-xxxx	2,2'-oxybisethanol ☒ Xn R22 ⚠ Acute Tox. 4, H302	5.0-10%

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31














Printing date 08.05.2015

Version 7

Revision: 08.05.2015

Trade name: Duomat Developer part A

(Contd. of page 2)

CAS: 584-08-7 EINECS: 209-529-3 Reg.nr.: 01-2119532646-36-xxxx	potassium carbonate  Xi R36/37/38  Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	2.0-5.0%
CAS: 10043-35-3 EINECS: 233-139-2 Index number: 005-007-00-2 Reg.nr.: 01-2119486683-25-xxxx	boric acid  T Repr. Cat. 2 R60-61  Repr. 1B, H360FD	2.0-5.0%
CAS: 139-89-9 EINECS: 205-381-9 Reg.nr.: 01-2119972845-22-xxxx	Hydroxyethylethylenediaminetriacetic acid, trisodium salt, solution  Xi R36/38  Skin Irrit. 2, H315; Eye Irrit. 2, H319	0.5-2.0%
CAS: 6381-77-7 EINECS: 228-973-9 Reg.nr.: 01-2120009701-69-xxxx	sodium isoascorbate  Xi R36/37/38  Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	0.5-2.0%
CAS: 13047-13-7 EINECS: 235-920-3	4-(hydroxymethyl)-4-methyl-1-phenylpyrazolidin-3-one  Xn R22  Xi R43  N R51/53  Aquatic Chronic 2, H411  Acute Tox. 4, H302; Skin Sens. 1, H317	< 0.5%

SVHC

10043-35-3 | boric acid

 • **Additional information** For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures
General information

Personal protection for the First Aider.
Instantly remove any clothing soiled by the product.

• **After inhalation** Supply fresh air.

After skin contact

Instantly wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.

After eye contact

Rinse opened eye for several minutes under running water (at least 15 minutes).
Remove contact lenses, if present and easy to do.
Use eye protection.
Call a doctor immediately.

After swallowing

Rinse out mouth and then drink plenty of water.
Do not induce vomiting; instantly call for medical help.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

GB

(Contd. on page 4)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 08.05.2015

Version 7

Revision: 08.05.2015

Trade name: Duromat Developer part A

(Contd. of page 3)

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**
CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
Use fire fighting measures that suit the environment.
- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
- **5.2 Special hazards arising from the substance or mixture**
Can be released in case of fire
Carbon monoxide
sulphur dioxide (SO₂)
- **5.3 Advice for firefighters**
- **Protective equipment:**
Do not inhale explosion gases or combustion gases.
At formation of toxic gases:
Put on breathing apparatus.
- **Additional information** The product is not flammable

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective clothing.
- **6.2 Environmental precautions:** Do not allow to enter drainage system, surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to item 13.
Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.
- **6.4 Reference to other sections**
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Do not handle until all safety precautions have been read and understood.
- **Information about protection against explosions and fires:**
No special measures required.
The product is not flammable
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:**
Store only in unopened original containers.
Keep container tightly closed in a cool, well-ventilated place.
- **Information about storage in one common storage facility:**
Keep away from foodstuffs, beverages and food.
Do not store together with acids.
Store away from oxidising agents.
- **Further information about storage conditions:**
Protect from heat and direct sunlight.
Store in a cool place.
- **Recommended storage temperature:** 5-25 °C

(Contd. on page 5)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 08.05.2015

Version 7

Revision: 08.05.2015

Trade name: Duomat Developer part A

(Contd. of page 4)

- **Storage class**
LGK 12
(German Technical Rule for Hazardous Substance – TRGS 510)
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **8.1 Control parameters**

Components with limit values that require monitoring at the workplace:**123-31-9 1,4-dihydroxybenzene (hydroquinone)**WEL Long-term value: 0.5 mg/m³**111-46-6 2,2'-oxybisethanol**WEL Long-term value: 101 mg/m³, 23 ppm

- **Additional information:** The lists that were valid during the compilation were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
The usual precautionary measures should be adhered to general rules for handling chemicals.
Keep away from foodstuffs, beverages and food.
Do not eat, drink or smoke while working.
Take off immediately all contaminated clothing.
Wash hands during breaks and at the end of the work.
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- **Protection of hands:**
Protective gloves.
The protective gloves to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN 374.
This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.
Only use chemical-protective gloves with CE-labelling of category III.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**

	Thickness (mm)	Breakthrough time (min)
Nitril rubber	0,38	> 480
Neoprene	0,65	> 240
Butyl rubber	0,36	> 480

Avoid natural rubber gloves.
- **As protection from splashes gloves made of the following materials are suitable:**
Synthetic gloves
Value for permeation: Level:
≥ 3 (60 min)
- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing.

GB

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.05.2015

Version 7

Revision: 08.05.2015

Trade name: Duromat Developer part A

(Contd. of page 5)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form:	Fluid
Colour:	Light yellow
Odour:	Nearly odourless
Odour threshold:	Not determined.

· pH-value at 25 °C: 11.5

· Change in condition

Melting point/Melting range:	Not determined
Boiling point/Boiling range:	> 100 °C

· Flash point: Not applicable

· Ignition temperature:

Decomposition temperature: Not determined.

· Self-inflammability: Product is not selfigniting.

· Danger of explosion: Product is not explosive.

· Critical values for explosion:

Lower:	Not determined.
Upper:	Not determined.

· Vapour pressure at 20 °C: 23 hPa

· Density at 20 °C	1.32 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.

· Solubility in / Miscibility with

Water: miscible

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

dynamic:	Not determined.
kinematic:	Not determined.

· Solvent content:

Water: ~ 60 %

· 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions

No dangerous reactions known

Reacts with acids releasing sulphur dioxide

· 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.05.2015

Version 7

Revision: 08.05.2015

Trade name: Duomat Developer part A

(Contd. of page 6)

- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**

- **Acute toxicity**

- **LD/LC50 values that are relevant for classification:**

123-31-9 1,4-dihydroxybenzene (hydroquinone)

Oral	LD50	320 mg/kg (rat)
Dermal	LD50	> 900 mg/kg (rat)

111-46-6 2,2'-oxybisethanol

Oral	LD50	12565 mg/kg (rat)
Dermal	LD50	11890 mg/kg (rabbit)

584-08-7 potassium carbonate

Oral	LD50	> 2000 mg/kg (rat)
------	------	--------------------

10043-35-3 boric acid

Oral	LD50	2660 mg/kg (rat)
------	------	------------------

13047-13-7 4-(hydroxymethyl)-4-methyl-1-phenylpyrazolidin-3-one

Oral	LD50	565 mg/kg (rat)
Dermal	LD50	> 2000 mg/kg (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** No irritant effect.
- **Serious eye damage/irritation** Strong irritant with the danger of severe eye injury.
- **Respiratory or skin sensitisation** Sensitization possible by skin contact.

- **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Mixtures as issued in the latest version:

Harmful
Irritant

This statement was deduced from the properties of the single components.

Hydroquinone has been included in the German "TRGS 905" (Technical Rules for Dangerous Substances/Index of carcinogen and mutagen substances or substances dangerous to reproductive systems), and has been classified as "Category 3" of carcinogen and mutagen substances (3 = category of lowest dangerousness). The according EU committees have not yet evaluated this classification.

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

Muta. 2, Carc. 2

SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

123-31-9 1,4-dihydroxybenzene (hydroquinone)

IC50 72 h	0.335 mg/l (Selenastrum capricornutum)
LC50 96 h	0.044 mg/l (Pimephales promelas)
LOC50 48 h	0.29 mg/l (Daphnia magna)

111-46-6 2,2'-oxybisethanol

EC50/48 h	> 10000 mg/l (Daphnia magna)
-----------	------------------------------

(Contd. on page 8)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 08.05.2015

Version 7

Revision: 08.05.2015

Trade name: Duomat Developer part A

(Contd. of page 7)

LC50/96 h	75200 mg/l (Pimephales promelas)
584-08-7 potassium carbonate	
LC50/96 h	310-750 mg/l (Pimephales promelas)
10043-35-3 boric acid	
EC50/48 h	133 mg/l (Daphnia magna)
LC50/96 h	50 - 100 mg/l (Onchrohynchus mykiss)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **Behaviour in environmental systems:** Not determined
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxic effects:** No further relevant information available.
- **Behaviour in sewage processing plants:** Not determined
- **Additional ecological information:**
- **General notes:**
Water hazard class 3 (German Regulation) (Self-assessment): highly water-endangering.
Do not allow product to reach ground water, water bodies or sewage system, even in small quantities.
At present there are no ecotoxicological assessments.
This statement was deduced from the properties of the single components.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Must be specially treated under adherence to official regulations.
- **Uncleaned packagings:**
- **Recommendation:**
Non contaminated packagings can be used for recycling.
Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
Packagings that cannot be cleaned are to be disposed of in the same manner as the product.
EAK-No. 15 01 10
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

- **14.1 UN-Number**
- **ADR, IMDG, IATA** UN 3082
- **14.2 UN proper shipping name**
- **ADR** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,4-dihydroxybenzene (hydroquinone))

(Contd. on page 9)

GB

Safety data sheet
according to 1907/2006/EC, Article 31


Printing date 08.05.2015

Version 7

Revision: 08.05.2015

Trade name: Duromat Developer part A

(Contd. of page 8)

· IMDG, IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (hydroquinone)
· 14.3 Transport hazard class(es) · ADR, IMDG, IATA	
	
· Class	9 Miscellaneous dangerous substances and articles.
· 14.4 Packing group · ADR, IMDG, IATA	III
· 14.5 Environmental hazards: · Marine pollutant:	Environmentally hazardous substance, liquid Yes
· Special marking (ADR): · Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.
· 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	These substances when transported in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less for liquids or having a net mass of 5 kg or less for solids, are not subject to any other provisions of these Regulations provided the packagings meet the general. See the following notes.
· ADR	Goods are not subject to the provisions in accordance with the special provision 375 ADR.
· IMDG	Goods are not subject to the provisions in accordance with 2.10.2.7 IMDG-Code.
· IATA	Goods are not subject to the provisions in accordance with the special provision 197 IATA-DGR.
· UN "Model Regulation":	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,4-dihydroxybenzene (hydroquinone)), 9, III

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.

(Contd. on page 10)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 08.05.2015

Version 7

Revision: 08.05.2015

Trade name: Duomat Developer part A

(Contd. of page 9)

· **National regulations**

· **Information about limitation of use:**

Employment restrictions concerning pregnant and lactating women must be observed.

Class	Share in %
I	6.1
NK	5.1

· **Water hazard class:** Water danger class 3 (Self-assessment): highly water-endangering.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· **Relevant phrases**

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H341 Suspected of causing genetic defects.
- H351 Suspected of causing cancer.
- H360FD May damage fertility. May damage the unborn child.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.
- R22 Harmful if swallowed.
- R36/37/38 Irritating to eyes, respiratory system and skin.
- R36/38 Irritating to eyes and skin.
- R40 Limited evidence of a carcinogenic effect.
- R41 Risk of serious damage to eyes.
- R43 May cause sensitisation by skin contact.
- R50 Very toxic to aquatic organisms.
- R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- R60 May impair fertility.
- R61 May cause harm to the unborn child.
- R68 Possible risk of irreversible effects.

· **Abbreviations and acronyms:**

- RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
- ICAO: International Civil Aviation Organisation
- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- Acute Tox. 4: Acute toxicity, Hazard Category 4
- Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
- Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1
- Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
- Skin Sens. 1: Sensitisation - Skin, Hazard Category 1
- Muta. 2: Germ cell mutagenicity, Hazard Category 2
- Carc. 2: Carcinogenicity, Hazard Category 2
- Repr. 1B: Reproductive toxicity, Hazard Category 1B
- STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3
- Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

(Contd. on page 11)



**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 08.05.2015

Version 7

Revision: 08.05.2015

Trade name: Duromat Developer part A

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

(Contd. of page 10)

· Sources

Internal physical tests, MSDS of the ingredients,
Information system on hazardous substances of the German Social Accident Insurance
(GESTIS-database on hazardous substances), <http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp>
applicable EEC directives:

- 1907/2006
- 1272/2008

· * Data compared to the previous version altered.

GB

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 08.05.2015

Version 7

Revision: 08.05.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: Duromat Developer part B**

- **Article number:** 00042, 04042
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
To this day we do not have any information about the identified use at the moment. These data are available we will add these to the safety data sheet.
- **Application of the substance / the mixture**
Photochemicals
Developer for X-ray films
Reserved for industrial and professional use.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
ADEFO-CHEMIE GmbH
Justus-von-Liebig-Str. 24-26
D-63128 Dietzenbach
Tel.: +49 6074 84239-0
Fax: +49 6074 84239-63
E-Mail: service@adefo-chemie.de
www.adefo-chemie.de
- **Informing department:**
Tel.: +49 6074 84239-0
Fax: +49 6074 84239-63
E-Mail: kr@calbe-chemie.de
- **1.4 Emergency telephone number:** Tel.: 0700-24112112 (CAL)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Acute Tox. 4 H302 Harmful if swallowed.
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2 H319 Causes serious eye irritation.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
Xn; Harmful
R22: Harmful if swallowed.
Xi; Irritant
R36/38: Irritating to eyes and skin.
- **Information concerning particular hazards for human and environment:**
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system:**
The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS07

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.05.2015

Version 7

Revision: 08.05.2015

Trade name: Duomat Developer part B












(Contd. of page 1)

- **Signal word** Warning
- **Hazard-determining components of labelling:**
2,2'-oxybisethanol
ethane-1,2-diol
1-phenyl-3-pyrazolidone
- **Hazard statements**
H302 Harmful if swallowed.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
- **Precautionary statements**
P280 Wear protective gloves / eye protection.
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P337+P313 If eye irritation persists: Get medical advice/attention.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of the substances listed below with harmless additions.

- **Dangerous components:**

CAS: 111-46-6 EINECS: 203-872-2 Index number: 603-140-00-6 Reg.nr.: 01-2119457857-21-xxxx	2,2'-oxybisethanol  Xn R22  Acute Tox. 4, H302	25-50%
CAS: 64-19-7 EINECS: 200-580-7 Index number: 607-002-00-6 Reg.nr.: 01-2119475328-30-xxxx	acetic acid  C R35 R10  Flam. Liq. 3, H226  Skin Corr. 1A, H314	15-20%
CAS: 107-21-1 EINECS: 203-473-3 Index number: 603-027-00-1 Reg.nr.: 01-2119456816-28-xxxx	ethane-1,2-diol  Xn R22  Acute Tox. 4, H302	2.0-5.0%
CAS: 92-43-3 EINECS: 202-155-1 Index number: 606-022-00-2	1-phenyl-3-pyrazolidone  Xn R22  N R51/53  Aquatic Chronic 2, H411  Acute Tox. 4, H302	0.5-2.0%

- **Additional information** For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information**
Personal protection for the First Aider.
Instantly remove any clothing soiled by the product.
- **After inhalation** Supply fresh air.

(Contd. on page 3)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.05.2015

Version 7

Revision: 08.05.2015

Trade name: Duromat Developer part B

(Contd. of page 2)

- **After skin contact** Instantly wash with water and soap and rinse thoroughly.
- **After eye contact**
Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- **After swallowing**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; instantly call for medical help.
- **4.2 Most important symptoms and effects, both acute and delayed**
No known symptoms to date.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**
CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
- **5.2 Special hazards arising from the substance or mixture**
Can be released in case of fire
Carbon monoxide
- **5.3 Advice for firefighters**
- **Protective equipment:**
Do not inhale explosion gases or combustion gases.
At formation of toxic gases:
Put on breathing apparatus.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective clothing.
Ensure adequate ventilation.
- **6.2 Environmental precautions:** Do not allow to enter drainage system, surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to item 13.
Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.
- **6.4 Reference to other sections**
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
No special precautions necessary if used correctly.
Absorb spillage to prevent material damage.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** Store only in the original container.
- **Information about storage in one common storage facility:**
Keep away from foodstuffs, beverages and food.

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.05.2015

Version 7

Revision: 08.05.2015

Trade name: Duromat Developer part B

(Contd. of page 3)

- **Further information about storage conditions:**
Keep container tightly sealed.
Store in a cool place.
- **Recommended storage temperature:** 5-25 °C
- **Storage class** LGK 12
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.

· 8.1 Control parameters

- **Components with limit values that require monitoring at the workplace:**

111-46-6 2,2'-oxybisethanol

WEL	Long-term value: 101 mg/m ³ , 23 ppm
-----	---

107-21-1 ethane-1,2-diol

WEL	Short-term value: 104** mg/m ³ , 40** ppm
	Long-term value: 10* 52** mg/m ³ , 20** ppm
	Sk *particulate **vapour

- **Additional information:** The lists that were valid during the compilation were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
The usual precautionary measures should be adhered to general rules for handling chemicals.
Keep away from foodstuffs, beverages and food.
Do not eat, drink or smoke while working.
Take off immediately all contaminated clothing.
Wash hands during breaks and at the end of the work.
Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- **Protection of hands:**
Protective gloves.
The protective gloves to be used must comply with the specifications of the EC directive 89/686/EEC and the resultant standard EN 374.
This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.
Only use chemical-protective gloves with CE-labelling of category III.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**

	Thickness (mm)	Breakthrough time (min)
Nitril rubber	0,38	> 480
Neoprene	0,65	> 240
Butyl rubber	0,36	> 480

Avoid natural rubber gloves.
- **As protection from splashes gloves made of the following materials are suitable:**
Synthetic gloves
Value for permeation: Level:
≥ 3 (60 min)
- **Eye protection:** Safety glasses

(Contd. on page 5)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 08.05.2015

Version 7

Revision: 08.05.2015

Trade name: Duomat Developer part B

(Contd. of page 4)

- **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties**· 9.1 Information on basic physical and chemical properties****· General Information****· Appearance:**

Form:	Fluid
Colour:	Light yellow
Odour:	Acidic

· pH-value at 25 °C: 2.3**· Change in condition****Melting point/Melting range:** Not determined
Boiling point/Boiling range: > 100 °C**· Flash point:** > 70 °C**· Ignition temperature:** 345 °C**· Self-inflammability:** Product is not selfigniting.**· Danger of explosion:** Product is not explosive.**· Critical values for explosion:****Lower:** Not determined.
Upper: Not determined.**· Vapour pressure at 20 °C:** 23 hPa**· Density at 20 °C** 1.103 g/cm³**· Solubility in / Miscibility with****Water:** miscible**· Viscosity:****dynamic:** Not determined
kinematic: Not determined**· 9.2 Other information** No further relevant information available.**SECTION 10: Stability and reactivity****· 10.1 Reactivity****· 10.2 Chemical stability****· Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known**· 10.4 Conditions to avoid** No further relevant information available.**· 10.5 Incompatible materials:** No further relevant information available.**· 10.6 Hazardous decomposition products:** No dangerous decomposition products known

GB

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.05.2015

Version 7

Revision: 08.05.2015

Trade name: Duomat Developer part B

(Contd. of page 5)

SECTION 11: Toxicological information

· **11.1 Information on toxicological effects**

· **Acute toxicity**

· **LD/LC50 values that are relevant for classification:**

111-46-6 2,2'-oxybisethanol

Oral	LD50	12565 mg/kg (rat)
Dermal	LD50	11890 mg/kg (rabbit)

64-19-7 acetic acid

Oral	LD50	3310 mg/kg (rat)
Dermal	LD50	1060 mg/kg (rabbit)

107-21-1 ethane-1,2-diol

Oral	LD50	4700 mg/kg (rat)
Dermal	LD50	9530 mg/kg (rabbit)

92-43-3 1-phenyl-3-pyrazolidone

Oral	LD50	200 mg/kg (rat)
------	------	-----------------

· **Primary irritant effect:**

· **Skin corrosion/irritation** Irritant to skin and mucous membranes.

· **Serious eye damage/irritation** Irritant effect.

· **Respiratory or skin sensitisation** No sensitizing effect known.

· **Subacute to chronic toxicity:** No known symptoms to date.

· **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Mixtures as issued in the latest version:

Harmful

Irritant

· **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

No known symptoms to date.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

111-46-6 2,2'-oxybisethanol

EC50/48 h	> 10000 mg/l (Daphnia magna)
LC50/96 h	75200 mg/l (Pimephales promelas)

64-19-7 acetic acid

EC50/ 24 h	47-95 mg/l (Daphnia magna)
LC50/48 h	408-410 mg/l (Leuciscus idus)

107-21-1 ethane-1,2-diol

EC50/48 h	> 10000 mg/l (Daphnia magna)
LC50/96 h	75200 mg/l (Pimephales promelas)

· **12.2 Persistence and degradability** Not determined

· **12.3 Bioaccumulative potential** Not determined

· **Behaviour in environmental systems:** Not determined

· **12.4 Mobility in soil** No further relevant information available.

· **Ecotoxic effects:** No further relevant information available.

(Contd. on page 7)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 08.05.2015

Version 7

Revision: 08.05.2015

Trade name: Duromat Developer part B

(Contd. of page 6)

- **Behaviour in sewage processing plants:** Not determined
- **Additional ecological information:**
- **General notes:**
At present there are no ecotoxicological assessments.
This statement was deduced from the properties of the single components.
Water hazard class 1 (German Regulation) (Self-assessment): Weakly water-endangering.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations


- **13.1 Waste treatment methods**
- **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Must be specially treated under adherence to official regulations.

· **European waste catalogue**

09 01 01*	water-based developer and activator solutions
-----------	---

- **Uncleaned packagings:**
- **Recommendation:**
Non contaminated packagings can be used for recycling.
Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
Packagings that cannot be cleaned are to be disposed of in the same manner as the product.
EAK-No. 15 01 10
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

- | | |
|---|--------------------------------|
| · 14.1 UN-Number
· ADR, IMDG, IATA | UN 2790 |
| · 14.2 UN proper shipping name
· ADR, IMDG, IATA | ACETIC ACID SOLUTION |
| · 14.3 Transport hazard class(es)
· ADR, IMDG, IATA | |
|  | |
| · Class
· Label | 8 Corrosive substances.
8 |
| · 14.4 Packing group
· ADR, IMDG, IATA | III |
| · 14.5 Environmental hazards:
· Marine pollutant: | No |
| · 14.6 Special precautions for user | Warning: Corrosive substances. |

(Contd. on page 8)



Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.05.2015

Version 7

Revision: 08.05.2015

Trade name: Duomat Developer part B

(Contd. of page 7)

· Kemler Number:	80
· EMS Number:	F-A,S-B
· Segregation groups	1 - Acids
· 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5 l
· Transport category	3
· Tunnel restriction code	E
· Remarks:	"Limited quantity" according to chapter 3.4 ADR
· IMDG	
· Remarks:	"Limited quantity" according to chapter 3.4 IMDG
· IATA	
· Remarks:	Packing Instruction PAX 852, CAO 856
· UN "Model Regulation":	UN2790, ACETIC ACID SOLUTION, 8, III

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations**

Class	Share in %
II	19.1
NK	32.5

- **Water hazard class:** Water hazard class 1 (Self-assessment): weakly water-endangering.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
 - H226 Flammable liquid and vapour.
 - H302 Harmful if swallowed.
 - H314 Causes severe skin burns and eye damage.
 - H411 Toxic to aquatic life with long lasting effects.
- **R10** Flammable.
- **R22** Harmful if swallowed.
- **R35** Causes severe burns.
- **R51/53** Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- **Recommended restriction of use** No public product, only for commercial use

- **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 9)

**Safety data sheet
according to 1907/2006/EC, Article 31**

Printing date 08.05.2015

Version 7

Revision: 08.05.2015

Trade name: Duomat Developer part B

(Contd. of page 8)

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organisation
ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
Flam. Liq. 3: Flammable liquids, Hazard Category 3
Acute Tox. 4: Acute toxicity, Hazard Category 4
Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

• Sources

applicable EEC directives:

- 1907/2006
- 1272/2008

Internal physical tests, MSDS of the ingredients,
Information system on hazardous substances of the German Social Accident Insurance
(GESTIS-database on hazardous substances), <http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp>

• * Data compared to the previous version altered.

GB